



High speed one needle Zig-Zag stitching machine

LZ457A - 140 L - 43P4



LZ SERIES FEATURES



渔网车 Fishnet Type



Fishnet

LZ1388-5/140L

渔网状3针4点人字形·适用于束裤、束腹、塑身衣裤、护腰、医疗及运动器材...
Fishnet type three stitches four points zigzag sewing type. Suitable for corsets, fitting clothes, waist protection clothes, medical and fitness equipment, etc.

贝殼型车 Shell Type



six stitches
one crinkle

LZ457A-143N-L-43P4

贝殼形线迹滚领推景器可选择4针一景或6针一景·以锁式线迹牢固地缝制出漂亮的荷叶边·最适合妇女的背心式衬衣、睡衣、无领衫及针织衣物的领口、袖口或肩带

Shell type stitches piping collar pleating device. Four stitches one crinkle or six stitches one crinkle. Tightly sewing a perfect rickrack with the zigzag stitches, suitable for corsets, camisoles, bed gowns, collarless shirts, and collar, cuff or shoulder strap of knitting clothes.

万用车 Universal Type



专利万用可换花盘
Patented Universal
Decorative Cam

LZ457A-143N-L

可作装饰缝制·新式流行女用紧身内衣裤及衬衫之缝纫。配合线迹需要而备有多种花样凸轮供更换。

Decorative sewing, new type fashion feminine underwear and shirts. Multiple decorative type cam for changing based on needs.

花盘(凸轮)选购表(Optional Cams)

| | | | |
|---|---|---|---|
| 12针迹开式扇形花盘 NP-6358 12-stitch opened scallop cam | 24针迹新月扇形花盘 NP-6360 24-stitch crescent scallop cam | 24针迹匀称扇形花盘 NP-6464 24-stitch even scallop cam | 24针迹匀称扇形花盘 NP-6295 24-stitch even scallop cam |
| 8mm | 8mm | 8mm | 8mm |
| 4针迹盲缝花盘 NP-6396 Blind stitch cam (4 stitches) | 6针迹盲缝花盘 NP-6364 Blind stitch cam (6 stitches) | 8针迹盲缝花盘 NP-6480 Blind stitch cam (8 stitches) | 12针迹盲缝花盘 NP-6482 Blind stitch cam (12 stitches) |
| 5mm | 5mm | 5mm | 5mm |
| 普通Z字形花盘 NP-6394 1-step Zig Zag cam | 2针3点Z字形花盘 NP-6462 2-step Zig Zag cam | 3针4点Z字形花盘 NP-6362 3-step Zig Zag cam | |
| 5mm | 8mm | 8mm | |

| LZ1 | | | | 用途 Applications | 圖形 Graph |
|-----------------------------------|-------------------|------------------|------|---|-------------|
| LZ457A-20 | 8.0mm (5/16") | 1.3mm (20spi) | 3400 | 可做蕾丝镶边及一般人字型之缝纫 Attaching lace and making general herringbone sewing. | |
| LZ457A-21 | 5.0mm (13/64") | 2.0mm (13spi) | 3400 | 可做蕾丝花边及肩带缝制等等 Attaching lace, making shoulder straps etc. | |
| LZ457A-40 | 8.0mm (5/16") | 1.3mm (20spi) | 3400 | 可做紧身衣物或胸衣之松紧带缝制 Elastic seaming and attaching for corsets or bras. | |
| LZ457A-143N-L (Universal Type) | 8.0mm (5/16") | 1.3mm | 3400 | 装饰缝制配合线迹需要而备有多种花样凸轮供更换 (5.0mm凸轮随车附于配件盒里) Decorative sewing, multiple decorative type cam for changing based on needs. (The 5.0mm cam is attached inside the accessory box with each product.) | |
| | 5.0mm (13/64") | 2.0mm | | | |
| LZ1388-5/140L | 8.0mm | 6.5mm | 4000 | 渔网状3针4点人字形· Fishnet type three stitches four points zigzag sewing type. | |
| LZ1388-5/140M | 8.0mm | 6.5mm | 4000 | | |
| LZ457A-143N-L-43P4 | 5.0mm | - | 3400 | 贝壳形线迹滚领4针一景 Shell type stitches piping collar pleating device. Four stitches one crinkle | |
| LZ457A-143N-L-43P6 | 5.0mm | - | 3400 | 贝壳形线迹滚领6针一景 Shell type stitches piping collar pleating device. Six stitches one crinkle. | |

辅助件 Attachment



43P4 推景器(限143N机型)

43P6 43P4:4针一景

43P6:6针一景

Pleating device (143N model only)

four stitches form one crinkle.

six stitches form one crinkle.



MDL312 机械式松紧带调节装置

MDL314 MDL312:送带宽度2" (50mm)

MDL314:送带宽度4" (100mm)

Mechanical metering device for elastic tape

Feeding width: 2"(50mm)

Feeding width: 4"(100mm)